

TEST REPORT

REPORT NUMBER : TURR150096116_REVISED01
APPLICANT NAME : Global Kauçuk Sızdırmazlık Elemanları San.Tic.Ltd.Şti.
ADDRESS : Selamet Mah. Tütüncü Sok.No:20 Bursa / TURKEY
 TEL:0545 807 26 94
Attention : Melek Koni (melekconi@globalkaucuk.com.tr)
SAMPLE DESCRIPTION : One sample of EPDM 65 Black rubber
DATE IN : 11 June ,2015 (13:45)
DATE OUT : 17 June ,2015 /19 June ,2015
MANUFACTURER'S NAME : GLOBAL KAUÇUK
ORDER NO : EPDM 65
NOTE : In this revised 01 report, test result was detailed by the request of the vendor.
 This report replaced the report no TURA150096116 dated on 17 June, 2015 and must be used instead of it.
 Report no TURA150096116 dated on 17 June, 2015 is invalid.

TEST	SAMPLE
Polycyclic Aromatic Hydrocarbons (PAHs) Analysis	1 P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>.

The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked « in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.



Volkan ALBAYRAK
COORDINATOR



Neslihan Sözer
Chemical Laboratory Manager



Intertek Test Hizmetleri A.S.
 Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna-34197 /İSTANBUL
 Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
 e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



150096116_REV01

Test Method	Results	Requirements
-------------	---------	--------------

Polycyclic Aromatic Hydrocarbons (PAHs) Analysis

INTERTEK IHTM AL.2.032 based on ZEK 01-04-08

	Result	Category 3 Requirement
BENZO(A)PYRENE	Not Detected	<1
BENZO(E)PYRENE	Not Detected	
BENZ(A)ANTHRACENE	Not Detected	
BENZO(B)FLUORANTHENE	Not Detected	
BENZO(J)FLUORANTHENE	Not Detected	
BENZO(K)FLUORANTHENE	Not Detected	
CHRYSENE	Not Detected	
DIBENZO(A,H)ANTHRACENE	Not Detected	
BENZO(GHI)PERYLENE	Not Detected	
INDENO(1,2,3-CD)PYRENE	Not Detected	
ACENAPHTHYLENE	Not Detected	
ACENAPHTHENE	Not Detected	
FLUORENE	Not Detected	
PHENANTHRENE	1.1 ppm	
PYRENE	25.4 ppm	
ANTHRACENE	Not Detected	
FLUORANTHENE	2.9 ppm	
NAPHTHALENE	Not Detected	<10
SUM (18 PAH mg/kg):	29.4 ppm	<50

Remarks : ppm (part per million) = mg / kg
 Detection Limit = 0.2 ppm
 ND = Not detected

Estimated Total Uncertainty=(±3%)





END OF TEST REPORT